

















2015 Stock Clearance


	Manufacturer - Type	Description/Notes	Available pieces	Value €/pc.
Grid Inverters				
	SMA Windy Boy 1100LV (Germany)	Max Pac: 1100 W Max Vdc: 60 V MPPT range: 21 - 60 Vdc	1	1500 495 Plus VAT
	Aresti Power Wind Grid Controller	Controller, Rectifier and Protection system of grid wind inverter, for 1000 W windturbines. For use with the SMA Windy boy 1100LV	1	700 295 Plus VAT
	Nedap PowerRouter PR50SB (Holland)	Ideal for self consumption /net-metering/ back-up/ energy saving. Max Pac: 5000 W Max PV Vdc: 600 V MPPT range: 120 - 550 Vdc Vbat: 24 V	1	4000 2490 Plus VAT
	Nedap PowerRouter PR50S (Holland)	Ideal for self consumption /net metering/ energy saving. Max Pac: 5000 W Max PV Vdc: 600 V MPPT range: 120 - 550 Vdc	1	2890 1790 Plus VAT


Off grid inverters				
	Victron Phoenix Inverter 48/5000.	Vin = 48Vdc Vout = 230Vac Pout = 5000VA	1	2162 1327 Plus VAT
	Victron Inverter 48V, 750VA Pure Sine (Holland)	Vin = 48Vdc Vout = 230Vac Pout = 750 VA	1	329 179 Plus VAT
	OLYS modified sine wave Inverter 24/230V, 500W (China)	Vin = 24Vdc Vout = 230Vac Pout = 500W	1	50 15 Plus VAT
	OLYS modified sine wave Inverter 36/230V, 500W (China)	Vin = 36Vdc Vout = 230Vac Pout = 500W	2	50 5 Plus VAT




Chargers				
	TBS Electronics Omnicharge 24V/30A (Netherlands)	Programmable multi-stage battery charger. For all types of 24V battery banks. Up to 30A continuous duty	1	586 350 Plus VAT

Charge Controllers				
	MSTE MPT 300-24 + Remote Screen SAC50 + Shunt (Germany)	MPPT Charge controller for PV panels with 29,8V<Vmp<48V Max Output Current: 14 A With remote panel and Shunt. For 24 V systems	1	149 69 Plus VAT
	MorningStar Sunkeeper 12V/12A (USA)	Outdoor rated PWM charge controller 12V / 12A, ideal for PV frame installation or anywhere else	7	89 30 Plus VAT
	MorningStar SunSaver 12V/6A SS-6L-12V (USA)	PWM Charge Controller, 12V, 6A	1	65 30 Plus VAT
	MorningStar SunSaver 24V/10A SS-10L-24V (USA)	PWM Charge Controller, 24V, 10A	1	86 35 Plus VAT
	MorningStar SunLight 12V/10A SL-10L-12V (USA)	PWM Charge Controller Programmable night/day function light control	5	112 64 Plus VAT




PV panels				
	Centrosolar Solara 70 W	Pmp: 70W Voc: 21,8V Vmp: 16,5V Isc: 4,52A Imp: 4,25A Cells: 36 Dim.:1240 X 550 X 35mm	1	137 83 Plus VAT
	Victron Energy 80 W mono	Pmp: 80W Voc: 22,3 V Vmp: 18 V Isc: 4,96 A Imp: 4,45A Cells: 36 Dim.:1110 X 540 X 40mm	1	145 94 Plus VAT





	Istar Solar 80 W	Pmp: 80W Voc: 22,5V Vmp: 18,9V Isc: 4,33A Imp: 4,23A Cells: 36 Dim.:785 X 675 X 35mm	1	128 102 Plus VAT
-----------------------------------------------------------------------------------	-------------------------	--------------------------------------------------------------------------------------------------------	---	--------------------------------------

Windturbines				
	GreatWatt S-700 Breeze 24V/420W (PRC)	Windturbine with internal charge controller. Power: 420 W @ 12 m/s Battery voltage: 24V Cut-in speed: 3 m/s	1	550 299 Plus VAT

Lighting				
	Western Co SPL12-WIR (Italy)	Off grid street or garden light with 12 high power LED of a total power of 12 W, with an approach sensor for adjustable lighting level. Includes a 5 or 6 m pole, hot galvanized, 70 W PV panel, one 66 Ah GEL battery (deep cycle), charge controller with day/night function, IR sensor, PV mounting system for the pole with a case for the battery etc.	1	120 590 Plus VAT
	Western Co SPL30-WIR (Italy)	Off grid street or park light with high power LED of a total power of 30 W, with the capacity of adding an approach sensor for adjustable lighting level. Includes a 6 m pole, hot galvanized (Ø 100), 130-150 W PV panel, 1 pc 120 Ah GEL battery (deep cycle), charge controller with day/night function, IR sensor, PV mounting system for the pole with a case for batteries up to 220 Ah etc.	1	1700 890 Plus VAT
	Western Co LED12-LU (Italy)	Light in a LUMPATINA shell. Ideal for off grid garden, park, pathway lighting. 12 LED of a total power of 12 W. Σταθερή ισχύς σε εύρος 10-30 Vdc Capacity of increasing/decreasing power from the LED driver 60.000 hours life span.	1	250 89 Plus VAT

	Western LED30 K1-230/10-30 (Italy)	Light in a KAOS 1 shell. Ideal for gardens, parks, pathways, streets etc. Includes 30 LED of a total max power of 50 W. Voltage: 230Vac, 10-30Vdc Constant power for all voltage. Capacity of increasing/decreasing power from the LED driver 60.000 hours life span.	1	450 190 Plus VAT
	Western LED36 K1-230/10-30 (Italy)	Light in a KAOS 1 shell. Ideal for gardens, parks, pathways, streets etc. Includes 36 LED of a total max power of 60 W. Voltage: 230Vac, 10-30Vdc Constant power for all voltage. Capacity of increasing/decreasing power from the LED driver 60.000 hours life span.	1	470 199 Plus VAT
	Western LED24 GE-230/10-30 (Italy)	LED spot light in an aluminum sealed heavy duty shell Ideal for garden, park, building lighting etc. Includes 24 LED of a total max power of 40 W. Voltage: 230Vac, 10-30Vdc Constant power for all voltage. Capacity of increasing/decreasing power from the LED driver 60.000 hours life span.	4	289 189 Plus VAT
	Western LED12.BB (Italy)	Led spot light in an aluminum sealed heavy duty shell Ideal for garden, park, building lighting. Includes 12 LED of a total max power of 12 W. Voltage: 10-30Vdc Constant power for all voltage. Capacity of increasing/decreasing power from the LED driver 60.000 hours life span.	4	140 69 Plus VAT
	Vilex 45 LED/12/3 (Greece)	Sealed, submersible lighting spot Ø150, ideal also for fountains, ponds etc. Includes 3 m sealed cable, 45 LED of a total power of 3 W Voltage: 9 - 14,6V DC or AC	4	90 50 Plus VAT

Data loggers/Monitoring Systems				
	Better Generation Power Predictor	Self contained Wind meter – data logger of wind and solar irradiation. The software includes a technical/financial analysis of wind and solar Energy that can be produced. Includes 2 years license for data analysis	2	280 195 Plus VAT
	Logic Energy LeWL WindLogger	Self contained wind meter – data logger of wind speed. Includes vortex wind cups and unlimited time license for data analysis	1	260 175 Plus VAT
	Victron Global Remote 1 (GSM-GPRS) (Holland)	Data logging/ monitoring off-grid PV power systems using Victron Energy inverters – inverter/chargers.	1	500 195 Plus VAT

Various				
	Studer Solsafe ARM-01 (Switzerland)	Buck-up with Studer C, XPC, HPC, XPC Inverter/Chargers on grid connected systems.	1	99 25 Plus VAT
	SMA SWR-COM-USB (Germany)	SWR-COM-USB is a 230 Vac line modem. Useful for connecting SMA inverters with the WebBox or a computer through an AC line.	1	99 25 Plus VAT
	Huber+Suhner crimp PEW12 (Germany)	Crimp with changeable heads for connectors solar H+B, included heads for 2.5, 4, 6 mm ²	1	250 99 Plus VAT
	Solinq in-line solar fuse 10A (Holland)	In-line fuse connectors, MC4 type with 10 A fuse cartridge	40	4,± 1,2 Plus VAT

All prices are valid while stocks last.